REFERENCES

1. http://en.wikipedia.org/wiki/Epilepsy assessed on 12/09/2010.
2. Shih Hui LIM (2004), Epidemiology and etiology of seizures and epilepsy in the elderly in Asia; Neurology Asia,9(1):31-32.
3. Tando P.N.,Jain S.(2004), Ayurvedic medicine & indian literature on epilepsy. Neurology Asia, 9:57-58.
4. Maheshwari M.C.,Tripathi M.,Padma M.V.,Jain S.(2000), Ayurvedic medicine & epilepsy Neurology Journal of Southeast Asia,5:1-4.
5. Khalid S.Al-N.(2009), Hypocholesteremic & Antioxidant Effects of Garlic (Allium sativum L.) Extract in Rats Fed High Cholesterol Diet. Pakistan Journal of Nutrition, 8(2):161-166.
6. Magdy A., Mohamed N.T.A.(2006), Hepatoprotective Activity of Allicin Against Carbon Tetracloride Induced Hepatic Injury in Rats. Journal of Biological Sciences,6(3):457-468.
7. Sridharan R.(2002), Epidemiology of Epilepsy. Current Science, 82(6):664-670.
8. http://www.epilepsyfoundation.org/aboutepilepsy/ assessed on 13/12/2010.
9. Claire Meyer-Ana, Gretchen Birbeck, Juliana Ma, Saxena, Shekhar,Dua T.[2009].Global disparities in the epilepsy treatment gap: a systematic review. Organisation Bulletin of the World Health, 266-88.
10. Dieter Schmidt (2009), Drug treatment of epilepsy: Options and limitations,Epilepsy & Behaviour;15:56-65.
11. Bharucha N.E.(2003), Epidemiology of epilepsy in India.Epilepsia;44: 9-11.
12. Murthi B.N.,Sridharan R.(1999),Prevalence and pattern of epilepsy in India, Epilepsia ;40(5):631-636.
13. Khwaja G.A.,Singh G.,Chaudhary N.(2007),Epilepsy and religion. Annals of Indian academy of neurology; 10:165-168.
14. Thomas S.V. (2000), Money matters in epilepsy;neurology India;48:322-329.
15. Schachter S.C. (2009), Botanicals and herbs: A traditional approach to treating epilepsy. Neurotherapeutics: The Journal of the American Society for Experimental NeuroTherapeutics; 6:415-420.

16. Dorle A.K.,Achliya G.S.,Wadodkar S.G(2004),Evaluation of sedative and anticonvulsant activies of Unmadnashakghrita.Journal of Ethnopharmacology;94:77-83.
17. Dorle A.K.,Achliya G.S.,Wadodkar S.G.(2005),Evaluation of CNS activity of Bhrami-ghrita.Indian Journal of Pharmacology;37:33-36.
18. Farzaneh Zamansoltani, Marjan Nassiri, Schwann shariati(2008), Anticonvulsive effect of intracerebroventricular administration of rutin in rats. Progress in neuro psychopharmacology & biological psychiatry; 32: 989-993.
19. Mundhada D.,Bansod K.,Dixit P.,Bhutada P. et al. (2010),Anticonvulsant activity of berberine, an isoquinoline alkaloid in mice. Epilepsy & Behavior, 18 :207–210.
20. Juris Rumaks, Kristine Saleniece, Liga Krigere, Ruta Muceniece(2008),Betulin binds to γ-aminobutyric acid receptors and exerts anticonvulsant action in mice.Pharmacology, BiochemistryandBehaviour;90:712-716.
21. Batra V.R., Khandelwal A.R., Nikam A.P, Vyawahare N.S. (2007),Herbal anti convulsants. Journal of Herbal Medicine and Toxicity; 1(1):9-14.
22. Lokanatha V.,Siva Prasad K.,Viswesvari G.,Rajendra W.(2010), The antiepileptic effect of Centella asiatica on the activities of Na+/K+,Mg^{2+} and Ca^{2+}-ATPases in rat brain during pentylenetetrazol – induced epilepsy. Aqueous extract had shown anticonvulsant and neuroprotective action.Indian Journal of Pharmacology; 42(2):82-86.
23. Chopde C.T.,Kasture S.B.,Kasture V.S.(2002),Anti convulsant action of Butea mono sperma flowers in laboratory animals. Pharmacology,Biochemisty and Behaviour,72:965-972.
24. Bastidas B.E.,Madrigal R.B.,Garzo´n N.R.P.et al.(1998),Anticonvulsant effect of Mangnolia Grandiflora L. in the rat. Journal of Ethnopharmacology; 61:143-152.
25. Talebzadeh F.,Hosseinzadeh H.(2005), Anticonvulsant evaluation of safranal and crocin from Crocus sativus in mice.Fitoterapia;76:722-724.
26. Kasture S.B.,Ambawade S.B.,Kasture V.S.(2002),Anti convulsant activity of root and rhizomes of Glycerrhiza Glabra.Indian Journal of Pharmacology;34:251-255.
27. Sonavane G.S.,Palekar R.C.,Kasture S.B.,Kasture V.S.(2002),Anticonvulsant and behavioural actions of Myristica fragrans seeds.Indian Journal of Pharmacology;34:332-338.

28. Rakotonirina A.,Dawack D.L.,Ngo Bum E.,Schmutz M.(2004), Anticonvulsant activity of Mimosa Pudica decoction,Fitoterapia;75:309-314.
29. Pergentino de Sousa D. ,Nóbrega de Almeida R.,Mattei R.(2008), Anticonvulsant effect of a natural compound α,β-epoxy-carvone and its action on the nerve excitability.Neuroscience Letters;443:51-55.
30. Richens A.,Abila B.,Davies J.A.(1993),Anticonvulsant effects of extracts of the West African, black pepper, Piper guineense,Journal of Ethnopharmacology,39:113-117.
31. VyawahareN.S.,Bodhankar S.L.(2009),Anticonvulsant activity of Argyreia Speciosa in mice, Indian Journal of Pharmaceutical Science;71(2):131-134.
32. Ali R.,Ali S., Mohammad A., Mohammad E.R.(2010), Anticonvulsant effect of aqueous extract of Valeriana officinalis in amygdala-kindled rats: Possible involvement of adenosine, Journal of Ethno pharmacology;127:313-318.
33. Nunes D.S.,Elisabetsky E.,Coelho de Souza G.P.,Nascimento da Silva M., Rabelo S.K.L. (1997), Anticonvulsant properties of y-decanolactone in mice, Journal of Ethnopharmacology;58:175-181.
34. Golwala D.K.,Patel L.D.,Mani M.,Bothara S.B. et al., (2010),Anticonvulsant activity of Abutilon Indicum Leaf, International Journal of Pharmacy and Pharmaceutical Science;2(1):66-71.
35. Singh J.,Prashanth K., Madhu A.,Gowda S.(2009), Arch Pharm Sci & Res.;1:43-47.
36. Joshi A.B.,Shastry C.S.,Hegde K.,Chandrashekhar K.S.et al.(2009), Anti convulsant Activity of *Carissa carandas* Linn. Root Extract in Experimental Mice, Tropical Journal of Pharmaceutical Research;8(2):117-125.
37. Pal D.(2008), Evaluation of CNS activities of Arial Parts of Cynodon Dectylon Pers.in mice. Acta Poloniae Pharmaceutica - Drug Research;65(1):37-43.
38. Davi A.S., Jullyana S.S., Lucindo J.Q.,Fátima M. et al.(2007), Anticonvulsant properties of the total alkaloid fraction of *Rauvolfia ligustrina* Roem. et Schult. in male mice, Brazilian Journal of Pharmacognosy;17(2):176-180.
39. Pal D. (2009), Determination of brain biogenic amines in Cynodon dactylone Pers. And Cyperus Rotundus L. treated mice. International journal of pharmacy and pharmaceutical science; 1:190-197.

40. Krishna M.Ch., E. Madhan M.,Amudha P.(2010),Effect of Indigofera Tinctoria Extract on Neurotrasmitters Concentrations in Rat Brain after Induction of Seizure, International Journal of Phytopharmacology;1(1):23-27.
41. Kanchi S.P., Gopalreddygari V., Pandanaboina Sahitya C., Valluru L., Wudayagiri R.(2010), Evaluation of the anticonvulsant effect of Centella asiatica (gotu kola) in pentylenetetrazol-induced seizures with respect to cholinergic neurotransmission, Epilepsy and Behaviour;17:332-335.
42. Jyoti A.,Sharma D.,Sethi P.(2009),Curcumin protects against electrobehavioral progression of seizures in the iron-induced experimental model of epileptogenesis, Epilepsy & Behaviour;14:300-308.
43. Ahmad K., Hassanali N. B., Kambiz B., Mohammad R.N.,Seyed A.Z.(2005), Evaluation of allicin content and botanical traits in Iranian garlic (Allium sativum L.) ecotypes, Scientia Horticulturae;103:155–166.
44. Dhingra D., Vaibhav kumar(2008),Evidence of involvement of monoaminergic and GABAergic systems in antidepressant like activity of garlic extract in mice,Indian Journal of Pharmacology;40(4):175-179.
45. LI Yu, Shi-ying XU,(2007),Preparation of Garlic Powder with High Allicin Content,Agricutural Sciences in China;6(7): 890-898.
46. Kyo E.,Sumioka I.,Yokoyama K.,Kakimoto M. et al.(1997), Anti-allergic effects of aged garlic extract, Phytomedicine; 4(4):335-340.
47. Paulose C.S.,Mathew J.,Khan R.S., T. Peeyush Kumar(2010), Behavioral deficit and decreased GABA receptor functional regulation in the cerebellum of epileptic rats: Effect of Bacopa monnieri and bacoside A, Epilepsy &Behaviour;17 :441-447.
48. Rajkapoor B.,Senthil Kumar K.K.(2010),Effect of Oxalis Corniculata L. Extracts in Biogenic Amine Concentrations on rat brains after induction of seizure, International Journal of Phytopharmacology;1(2):87-91.
49. Magdy A.Ali, Mohamed Nagui Attia(2006), Hepatoprotective activity of allicin against Carbon tetrachloride induced hepatic injury in rats, Journal of Biological Science;6(3):457-468.

50. John A.O. Ojewole (2008), Anticonvulsant effect of *Rhus chirindensis* (Baker F.) (Anacardiaceae) stem-bark aqueous extract in mice, Journal of Ethnopharmacology, 117:130-135.
51. Hosseinzadeh H., Parvardeh S.(2004),Anticonvulsant effects of thymoquinone, the major constituent of *Nigella sativa* seeds, in mice,Phytomedicine,11:56-64.
52. Goyal R.K.,Singh D.(2009),Anticonvulsant effect of *Ficus religiosa*:Role of serotonergic pathways, Journal of Ethnophamacology,123:330-334.
53. Stringer L., Lian Xiao-Y., Zhang Z.(2006),Anticonvulsant and neuroprotective effects,Epilepsy Research,70:244-256.